

What have we learned from Scandinavian Diabetes Registers?

Bendix Carstensen

Steno Diabetes Center
Gentofte, Denmark

<http://BendixCarstensen.com>

Soffia Gudbjörnsdottir

National Diabetes Register, Sweden

Diabetes Kongress 2015, Berlin

15 May 2015

<http://BendixCarstensen.com/DMreg>



Disclosure

- ▶ Employee at Steno Diabetes Center, a Research Institution and Diabetes hospital/clinic, owned by NovoNordisk

Disclosure

- ▶ Employee at Steno Diabetes Center, a Research Institution and Diabetes hospital/clinic, owned by NovoNordisk
- ▶ Own shares in NovoNordisk, worth approx. half my annual salary.

Two examples used in this talk

Two examples used in this talk

- ▶ **Danish** National Diabetes Register

Two examples used in this talk

- ▶ **Danish** National Diabetes Register
 - ▶ established 2006

Two examples used in this talk

- ▶ **Danish** National Diabetes Register
 - ▶ established 2006
 - ▶ covers entire Danish population 1995–2012 incl.

Two examples used in this talk

- ▶ **Danish** National Diabetes Register
 - ▶ established 2006
 - ▶ covers entire Danish population 1995–2012 incl.
 - ▶ 450,000 persons with DM, 300,000 alive 2012

Two examples used in this talk

- ▶ **Danish** National Diabetes Register
 - ▶ established 2006
 - ▶ covers entire Danish population 1995–2012 incl.
 - ▶ 450,000 persons with DM, 300,000 alive 2012
- ▶ **Swedish** National Diabetes Register

Two examples used in this talk

- ▶ **Danish** National Diabetes Register
 - ▶ established 2006
 - ▶ covers entire Danish population 1995–2012 incl.
 - ▶ 450,000 persons with DM, 300,000 alive 2012
- ▶ **Swedish** National Diabetes Register
 - ▶ established 1996

Two examples used in this talk

- ▶ **Danish** National Diabetes Register
 - ▶ established 2006
 - ▶ covers entire Danish population 1995–2012 incl.
 - ▶ 450,000 persons with DM, 300,000 alive 2012
- ▶ **Swedish** National Diabetes Register
 - ▶ established 1996
 - ▶ coverage:

Two examples used in this talk

- ▶ **Danish** National Diabetes Register

- ▶ established 2006
- ▶ covers entire Danish population 1995–2012 incl.
- ▶ 450,000 persons with DM, 300,000 alive 2012

- ▶ **Swedish** National Diabetes Register

- ▶ established 1996
- ▶ coverage:

2000: 50,000 ptt

Two examples used in this talk

- ▶ **Danish** National Diabetes Register

- ▶ established 2006
- ▶ covers entire Danish population 1995–2012 incl.
- ▶ 450,000 persons with DM, 300,000 alive 2012

- ▶ **Swedish** National Diabetes Register

- ▶ established 1996
- ▶ coverage:
 - 2000: 50,000 ptt
 - 2005: 150,000 ptt

Two examples used in this talk

- ▶ **Danish** National Diabetes Register

- ▶ established 2006
- ▶ covers entire Danish population 1995–2012 incl.
- ▶ 450,000 persons with DM, 300,000 alive 2012

- ▶ **Swedish** National Diabetes Register

- ▶ established 1996
- ▶ coverage:

2000: 50,000 ptt

2005: 150,000 ptt

2010: 300,000 ptt

Two examples used in this talk

- ▶ **Danish** National Diabetes Register

- ▶ established 2006
- ▶ covers entire Danish population 1995–2012 incl.
- ▶ 450,000 persons with DM, 300,000 alive 2012

- ▶ **Swedish** National Diabetes Register

- ▶ established 1996
- ▶ coverage:

2000: 50,000 ptt

2005: 150,000 ptt

2010: 300,000 ptt

2015: 350,000 ptt \approx 88% of all

What is a diabetes register?

What is a diabetes register?

Two different types of registers:

What is a diabetes register?

Two different types of registers:

1. Demographic surveillance register (DK)

What is a diabetes register?

Two different types of registers:

1. Demographic surveillance register (DK)
 - ▶ All cases of DM in the population

What is a diabetes register?

Two different types of registers:

1. Demographic surveillance register (DK)
 - ▶ All cases of DM in the population
 - ▶ Only dates of:
birth, diagnosis, death

What is a diabetes register?

Two different types of registers:

1. Demographic surveillance register (DK)
 - ▶ All cases of DM in the population
 - ▶ Only dates of:
birth, diagnosis, death
2. Clinical quality register (SE)

What is a diabetes register?

Two different types of registers:

1. Demographic surveillance register (DK)
 - ▶ All cases of DM in the population
 - ▶ Only dates of:
birth, diagnosis, death
2. Clinical quality register (SE)
 - ▶ Not complete w.r.t. cases of DM

What is a diabetes register?

Two different types of registers:

1. Demographic surveillance register (DK)

- ▶ All cases of DM in the population
- ▶ Only dates of:
birth, diagnosis, death

2. Clinical quality register (SE)

- ▶ Not complete w.r.t. cases of DM
- ▶ Clinical information is collected regularly (e.g. annually)
HbA1c, HDL, BMI, ...

Different registers — different purposes

Different registers — different purposes

- ▶ Demographic register:

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:
 - ▶ prevalence

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:
 - ▶ prevalence
 - ▶ incidence

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality
 - ▶ co-morbidity

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality
 - ▶ co-morbidity
- ▶ Clinical register:

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality
 - ▶ co-morbidity
- ▶ Clinical register:
 - ▶ Surveillance of **treatment quality**
(for those in the register)

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality
 - ▶ co-morbidity
- ▶ Clinical register:
 - ▶ Surveillance of **treatment quality**
(for those in the register)
 - ▶ Size of and changes in:

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality
 - ▶ co-morbidity
- ▶ Clinical register:
 - ▶ Surveillance of **treatment quality**
(for those in the register)
 - ▶ Size of and changes in:
 - ▶ Proportion of patients treated according to guidelines

Different registers — different purposes

- ▶ Demographic register:
 - ▶ Surveillance of the diabetes occurrence in the entire **population**
 - ▶ Size of and changes in:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality
 - ▶ co-morbidity
- ▶ Clinical register:
 - ▶ Surveillance of **treatment quality**
(for those in the register)
 - ▶ Size of and changes in:
 - ▶ Proportion of patients treated according to guidelines
 - ▶ Distribution of and changes in clinical parameters:
HbA1c, Blood pressure, Cholesterol . . .

Practical issues

Practical issues

- ▶ Linking information from different sources:

Practical issues

- ▶ Linking information from different sources:
 - ▶ Cause of death register

Practical issues

- ▶ Linking information from different sources:
 - ▶ Cause of death register
 - ▶ Health care usage register

Practical issues

- ▶ Linking information from different sources:
 - ▶ Cause of death register
 - ▶ Health care usage register
 - ▶ Medicine purchase register

Practical issues

- ▶ Linking information from different sources:
 - ▶ Cause of death register
 - ▶ Health care usage register
 - ▶ Medicine purchase register
- ▶ Denmark & Sweden (+N+FI+IS) have unique person-id used for this

Practical issues

- ▶ Linking information from different sources:
 - ▶ Cause of death register
 - ▶ Health care usage register
 - ▶ Medicine purchase register
- ▶ Denmark & Sweden (+N+FI+IS) have unique person-id used for this
- ▶ ...including data-bases from primary care

Practical issues

- ▶ Linking information from different sources:
 - ▶ Cause of death register
 - ▶ Health care usage register
 - ▶ Medicine purchase register
- ▶ Denmark & Sweden (+N+FI+IS) have unique person-id used for this
- ▶ ...including data-bases from primary care
- ▶ Clinical registers requires data-collection from primary care

Practical issues

- ▶ Linking information from different sources:
 - ▶ Cause of death register
 - ▶ Health care usage register
 - ▶ Medicine purchase register
- ▶ Denmark & Sweden (+N+FI+IS) have unique person-id used for this
- ▶ ...including data-bases from primary care
- ▶ Clinical registers requires data-collection from primary care
- ▶ ...by web or by automated data transfer

Current situation

Current situation

- ▶ Denmark:

Current situation

- ▶ Denmark:
 - ▶ a demographic register updated till 2012 based on existing registers:

Current situation

- ▶ Denmark:
 - ▶ a demographic register updated till 2012 based on existing registers:
 - ▶ Health services

Current situation

- ▶ Denmark:
 - ▶ a demographic register updated till 2012 based on existing registers:
 - ▶ Health services
 - ▶ Prescriptions

Current situation

- ▶ Denmark:
 - ▶ a demographic register updated till 2012 based on existing registers:
 - ▶ Health services
 - ▶ Prescriptions
 - ▶ Hospitalizations

Current situation

- ▶ Denmark:
 - ▶ a demographic register updated till 2012 based on existing registers:
 - ▶ Health services
 - ▶ Prescriptions
 - ▶ Hospitalizations
 - ▶ a rudimentary clinical register (resembling the Swedish)

Current situation

- ▶ Denmark:
 - ▶ a demographic register updated till 2012 based on existing registers:
 - ▶ Health services
 - ▶ Prescriptions
 - ▶ Hospitalizations
 - ▶ a rudimentary clinical register (resembling the Swedish)
- ▶ Sweden:

Current situation

- ▶ Denmark:
 - ▶ a demographic register updated till 2012 based on existing registers:
 - ▶ Health services
 - ▶ Prescriptions
 - ▶ Hospitalizations
 - ▶ a rudimentary clinical register (resembling the Swedish)
- ▶ Sweden:
 - ▶ no comprehensive demographic register

Current situation

- ▶ Denmark:
 - ▶ a demographic register updated till 2012 based on existing registers:
 - ▶ Health services
 - ▶ Prescriptions
 - ▶ Hospitalizations
 - ▶ a rudimentary clinical register (resembling the Swedish)
- ▶ Sweden:
 - ▶ no comprehensive demographic register
 - ▶ an almost complete clinical register

Current situation

- ▶ Denmark:
 - ▶ a demographic register updated till 2012 based on existing registers:
 - ▶ Health services
 - ▶ Prescriptions
 - ▶ Hospitalizations
 - ▶ a rudimentary clinical register (resembling the Swedish)
- ▶ Sweden:
 - ▶ no comprehensive demographic register
 - ▶ an almost complete clinical register
- ▶ Examples of results from both registers

Swedish NDR: Quality assurance

Swedish NDR: Quality assurance

Swedish law no. 787 (1996):

§31 The quality of health care should be developed and assured systematically and continually.

Patient record systems (PRS) / Quality registers

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap
- ▶ Useful for multiple purposes:

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap
- ▶ Useful for multiple purposes:
 - ▶ quality control at local level

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap
- ▶ Useful for multiple purposes:
 - ▶ quality control at local level
 - ▶ comparisons

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap
- ▶ Useful for multiple purposes:
 - ▶ quality control at local level
 - ▶ comparisons
 - ▶ general health planning and management

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap
- ▶ Useful for multiple purposes:
 - ▶ quality control at local level
 - ▶ comparisons
 - ▶ general health planning and management
 - ▶ clinical research

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap
- ▶ Useful for multiple purposes:
 - ▶ quality control at local level
 - ▶ comparisons
 - ▶ general health planning and management
 - ▶ clinical research
- ▶ Open report to meet the public demand for transparency

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap
- ▶ Useful for multiple purposes:
 - ▶ quality control at local level
 - ▶ comparisons
 - ▶ general health planning and management
 - ▶ clinical research
- ▶ Open report to meet the public demand for transparency
- ▶ Developed and managed by the professional groups using them

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap
- ▶ Useful for multiple purposes:
 - ▶ quality control at local level
 - ▶ comparisons
 - ▶ general health planning and management
 - ▶ clinical research
- ▶ Open report to meet the public demand for transparency
- ▶ Developed and managed by the professional groups using them
- ▶ All registers contain individual-based data on problems or diagnoses, treatment interventions and outcomes

Patient record systems (PRS) / Quality registers

- ▶ PRS not facilitated for analysis of quality improvement
- ▶ Quality registers has been developed to fill this gap
- ▶ Useful for multiple purposes:
 - ▶ quality control at local level
 - ▶ comparisons
 - ▶ general health planning and management
 - ▶ clinical research
- ▶ Open report to meet the public demand for transparency
- ▶ Developed and managed by the professional groups using them
- ▶ All registers contain individual-based data on problems or diagnoses, treatment interventions and outcomes
- ▶ Protected with same standards as medical records regarding confidentiality and data handling

Key points for success:

- ▶ (small country)

Key points for success:

- ▶ (small country)
- ▶ uniform health care system

Key points for success:

- ▶ (small country)
- ▶ uniform health care system
- ▶ long tradition of nation-wide registries

Key points for success:

- ▶ (small country)
- ▶ uniform health care system
- ▶ long tradition of nation-wide registries
- ▶ personal identification number

Key points for success:

- ▶ (small country)
- ▶ uniform health care system
- ▶ long tradition of nation-wide registries
- ▶ personal identification number
- ▶ reporting to/for data providers

Key points for success:

- ▶ (small country)
- ▶ uniform health care system
- ▶ long tradition of nation-wide registries
- ▶ personal identification number
- ▶ reporting to/for data providers
- ▶ reporting to/for patients

Key points for success:

- ▶ (small country)
- ▶ uniform health care system
- ▶ long tradition of nation-wide registries
- ▶ personal identification number
- ▶ reporting to/for data providers
- ▶ reporting to/for patients
- ▶ reporting to/for policy makers


Swedish NDR: Registered items

Swedish NDR: Registered items

Date of registration	Caregiver code	Person id
Year of diabetes diagnosis	HbA1c	Micro- & macro albuminuria
Type of diabetes	Diabetes treatment	S-creatinine
Height & weight	Blood pressure	IHD (date)
Waist circumference	Anti-hypertensive treatment	Stroke (date)
Smoking habits	Blood lipid level	Retinal image (date)
Physical activity	Lipid-lowering treatment	Visual impairment
Severe hypoglycaemia	Aspirin treatment	Foot examination
		Amputation

SE-NDR: Trends in HbA1c

Figur 21. Medelvärde för HbA1c (mmol/mol).



Källa: NDR – Nationella Diabetesregistret.


Yellow: Primary care

Blue: Clinics, T2

Brown: Clinics, T1


SE-NDR: Trends in HbA1c T1D by age

Figur 25. Medelvärde för HbA1c (mmol/mol) i olika åldersgrupper. Typ 1 diabetes vid medicinkliniker.




Källa: NDR – Nationella Diabetesregistret.

SE-NDR: Trends in pharmacological treatment of T2D



DK-NDR: Changes in prevalence 1995–2012



What drives the increasing prevalence in DK?

- ▶ Changing **rates** in period 1995–2012:

Diabetes incidence	3.5%/year
Mortality (DM)	-4.5%/year
Mortality (no DM)	-3.5%/year

What drives the increasing prevalence in DK?

- ▶ Changing **rates** in period 1995–2012:

Diabetes incidence	3.5%/year
Mortality (DM)	-4.5%/year
Mortality (no DM)	-3.5%/year

- ▶ Increasing incidence increases prevalence

What drives the increasing prevalence in DK?

- ▶ Changing **rates** in period 1995–2012:

Diabetes incidence	3.5%/year
Mortality (DM)	-4.5%/year
Mortality (no DM)	-3.5%/year

- ▶ Increasing incidence increases prevalence
- ▶ Decreasing mortality among DM ptt. increases prevalence

What drives the increasing prevalence in DK?

- ▶ Changing **rates** in period 1995–2012:

Diabetes incidence	3.5%/year
Mortality (DM)	-4.5%/year
Mortality (no DM)	-3.5%/year

- ▶ Increasing incidence increases prevalence
- ▶ Decreasing mortality among DM ptt. increases prevalence
- ▶ There is not balance between incidence and mortality in 1995
— so stability in rates will also increase rates.

What drives the increasing prevalence in DK?

- ▶ Changing **rates** in period 1995–2012:

Diabetes incidence	3.5%/year
Mortality (DM)	-4.5%/year
Mortality (no DM)	-3.5%/year


- ▶ Increasing incidence increases prevalence
- ▶ Decreasing mortality among DM ptt. increases prevalence
- ▶ There is not balance between incidence and mortality in 1995 — so stability in rates will also increase rates.
- ▶ Which is the more important force?


What drives the increasing prevalence in DK?

- ▶ Changing **rates** in period 1995–2012:

Diabetes incidence	3.5%/year
Mortality (DM)	-4.5%/year
Mortality (no DM)	-3.5%/year


- ▶ Increasing incidence increases prevalence
- ▶ Decreasing mortality among DM ptt. increases prevalence
- ▶ There is not balance between incidence and mortality in 1995 — so stability in rates will also increase rates.
- ▶ Which is the more important force?
- ▶ Use rates from the register and predict using different scenarios.






2012

160,352 N 150,309





2012


Mort	Inc	Imbal	Org	All	N	All	Org	Imbal	Inc	Mort
12,273	47,282	40,568	61,510	161,632	%	152,001	55,939	38,232	46,486	11,344
7.6	29.3	25.1	38.1				36.8	25.2	30.6	7.5





DK-NDR: Lifetime risk of diabetes and cancer



















Lifetime risks




Date of rate evaluation






Cancer rates among DM-ptt inflated 20%



Cancer rates among DM-ptt inflated

50%



Demographic changes in DM & Cancer 1995–2012

- ▶ Changing **rates** in period 1995–2012:

Diabetes incidence	4%/year
Cancer incidence	2%/year
Mortality	-4%/year

Demographic changes in DM & Cancer 1995–2012

- ▶ Changing **rates** in period 1995–2012:

Diabetes incidence	4%/year
Cancer incidence	2%/year
Mortality	-4%/year

- ▶ Changing **life-time risk** 1995–2012:

		+20% Ca DM	+50% Ca DM
Diabetes	19% to 38%	19% to 38%	19% to 38%
Cancer	32% to 46%	33% to 48%	34% to 50%
DM + Ca	6% to 18%	6% to 20%	7% to 22%

What have we learned?

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients
- ▶ **SE:** about the clinical features of diabetes patients

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients
- ▶ **SE:** about the clinical features of diabetes patients
 - ▶ HbA1c - trends

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients
- ▶ **SE:** about the clinical features of diabetes patients
 - ▶ HbA1c - trends
 - ▶ Coverage of pharmacological treatment

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients
- ▶ **SE:** about the clinical features of diabetes patients
 - ▶ HbA1c - trends
 - ▶ Coverage of pharmacological treatment
 - ▶ ...

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients
- ▶ **SE:** about the clinical features of diabetes patients
 - ▶ HbA1c - trends
 - ▶ Coverage of pharmacological treatment
 - ▶ ...
- ▶ **Recording** of how **numbers** and **status** of diabetes patients develop is the key to:

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients
- ▶ **SE:** about the clinical features of diabetes patients
 - ▶ HbA1c - trends
 - ▶ Coverage of pharmacological treatment
 - ▶ ...
- ▶ **Recording** of how **numbers** and **status** of diabetes patients develop is the key to:
 - ▶ population surveillance of DM

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients
- ▶ **SE:** about the clinical features of diabetes patients
 - ▶ HbA1c - trends
 - ▶ Coverage of pharmacological treatment
 - ▶ ...
- ▶ **Recording** of how **numbers** and **status** of diabetes patients develop is the key to:
 - ▶ population surveillance of DM
 - ▶ treatment improvement for patients

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients
- ▶ **SE:** about the clinical features of diabetes patients
 - ▶ HbA1c - trends
 - ▶ Coverage of pharmacological treatment
 - ▶ ...
- ▶ **Recording** of how **numbers** and **status** of diabetes patients develop is the key to:
 - ▶ population surveillance of DM
 - ▶ treatment improvement for patients

What have we learned?

- ▶ **DK:** about the demographic aspects of diabetes:
 - ▶ prevalence
 - ▶ incidence
 - ▶ mortality among DM patients
- ▶ **SE:** about the clinical features of diabetes patients
 - ▶ HbA1c - trends
 - ▶ Coverage of pharmacological treatment
 - ▶ ...
- ▶ **Recording** of how **numbers** and **status** of diabetes patients develop is the key to:
 - ▶ population surveillance of DM
 - ▶ treatment improvement for patients

Thanks for your attention